



# IBIS

PACKAGING SOLUTIONS

# Introduction

We simply believe we offer the best products on the market, together with an unbeatable service.

With nearly 25 years of experience in the business of offering consumables and machinery, IBIS Packaging is well placed in the market to offer the very best solutions for your end of line packaging requirements. With a close co-operation with our principals we have constantly refined our existing products to take advantage of evolving technologies to meet our customers ever changing needs. We were the first in the UK with many innovations including nano stretch film and the very flat turn-table wrapper.

For our customers convenience we can also supply other packaging Products such as bag, tape and taping machinery etc.



"We combine 20 years industry experience and a constant focus on cutting-edge technology."

We know how important it is to practice lean manufacturing in this competitive market and our total end of line solutions make sure we help and complement our customers to this aim. Our machinery is efficient and innovative. Our consumables often reduce packaging consumption by 50% against other Products in the Market. The slogan "less is more" has real meaning at IBIS packaging and it is truly part of our psyche and why our Company continues to grow and succeed in this Competitive Market. All our packaging machinery is backed up by experienced IBIS packaging engineers, giving our customers a truly total end of line packaging service.



**Paul Atkins**  
Managing Director  
& Founder

"It's about commitment..."

# Automatic Wrappers

## IBIS Extrema Plus

IBIS Extrema Plus is perfect for end-line with output up to 40 pallets/hour.

The conveyor height of the standard version is 32 cm, but it is possible to have even a lower model. The machine can be provided with chain conveyor instead of roller conveyor.

Big turntables are also available (up to 3 m diameter). Film sealing is hot but far from the pallet in order to not damage the product.

There are lots of available options and many accessories that can be integrated to IBIS Extrema Plus, to meet every requirements. Components are chosen among the best manufacturers on the market, this guarantees reliability even in hard use conditions.

### Technical Data

Height:	2466 mm
Width:	1800 mm
Length:	2880 mm
Turntable Height:	320 mm
Weight:	800 kg
Power Supply:	400 VAC 1PH+N+PE
Power Absorption:	4kW



## IBIS Vertex X

The Vertex X is the top of the range wrapper. Standard wrapping speed is 40 RPM, but if required, the double arm version can reach outputs exceeding 100 pallets/hour. The wrapper is very robust in its build and weighs more than 3000 kg. It is built to operate 24 hours per day, seven days per week. Every detail has been carefully considered to ensure long life and great efficiency. Vertex X can be completely customised to meet your specific requirements.



## IBIS Vertex P18

The Vertex P18 is a robust machine. Every detail has been designed carefully and thoroughly to optimize reliability and durability. The central bearing is many times over specified with respect to the load that it has to bear. The frame and mast are constructed robustly making this the choice for customers requiring a reliable automatic arm pallet wrapper with guaranteed longevity.

# Semi-Automatic Wrappers

## Plana Low Profile

A very strong driving system, a 1.500 kg max payload, everything in just 18 mm.

Ladies and gentlemen here is a record-breaker: at a height of only 18 mm, the IBIS Plana is the lowest turntable in the world! Thanks to its reduced height, the ramp is only 20 cm long, therefore loading is easier and safer. Trip or fall risks are minimised with no need for speed to help loading pallet. The turntable is so low it will not be damaged by the forks on forklifts and also any length of fork can be used. Offering 1.5m<sup>2</sup> space saving due to no requirement for ramp.



### Technical Data

Height:	2424 mm
Width:	1650 mm
Length:	2813 mm
Turntable Height:	18 mm
Weight:	540 kg
Power Supply:	230 VAC 1PH+N+PE
Power Absorption:	1kW

For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)


## IBIS Premium

A true work horse which will work 24 hours a day. A top of the range pallet wrapper with countless features available. Using the inverter controlled parameters any type of pallet can be wrapped efficiently. The carriage can be adapted to take advantage of the new nano film technology stretching the film to 400%. It is possible to change the percentage of stretch 4 times during a wrapping cycle to take account of sharp edges or difficult shaped loads. With the Premium Base we have proven that low prices and quality can be found in the same machine



## IBIS Vertex SP

IBIS Vertex SP maintains characteristics and qualities of IBIS Vertex, but thanks to the "don't get off" system, it works by itself: the operator brings the pallet that has to be wrapped under the machine and, without getting off the forklift, starts the wrapping cycle with a remote control. The operator does not have to get off the forklift to tie the film to the pallet at the beginning of cycle or to cut it at the end. This brings a time reduction and a decrease risk of injury. The pre-stretch carriage is supplied with a roping system, in order to make a film band or a film rope. These cycles can be used to get a very strong tightness on heavy pallets. IBIS Vertex SP is the best solution for very light and very heavy pallets and for high outputs.



## IBIS Tiro

The IBIS Tiro is designed to be the simple but effective. With three programmable settings and set bottom wraps, top wraps, rotation speed, carriage speed up, carriage speed down and photocell delay.



# Manual Wrappers

IBIS Gemini

## Two Machines for the price of One

To save time, money, effort and safeguard health. The Gemini, works as lifter and assistant for stacking pallets and can be immediately converted into a stretch-film wrapper.

- Dimension of the lifting plate: 500 x 450 mm
- Lifting plate in aluminium
- Maximum lifting height: 1500 mm
- Maximum lifting weight: up to 70 kg, with decreasing steps
- Pre-stretched film with 9-10-12-15 µm thickness
- External film roll diameter 120 mm
- Stretch-film roll height 440/450 with a max core-holder height of 460 mm
- Internal core Ø: 55 mm
- Maximum pallet height: 2000 mm
- Adjustable film carriage speed
- Regulation of the stretch-film tension through



IBIS Gemini - Wrapping

For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)

## The Speedy Wrapper

To save time, money, effort and safeguard health. The Speedy Wrapper is easy to use, reducing operator effort.

- No Back Bending
- Quickest way to Wrap
- Mobile for use Anywhere
- Use less Stretch Film
- Wraps from 500 - 2000mm
- Anchors pallet to load
- Improved Presentation
- Free Maintenance



The Speedy Wrapper



## The Pole Wrapper



The Pole Wrapper

Enquiries: 01639 890609

# Robot Wrappers

## Self Propelled

### The IBIS Viverra

Entry Level machine: minimum working space and outstanding performance

**EASY** - Feeler arm unit with a very simple and fast height adjustment

**HANDY** - For an easier and faster maintenance

**SAFE** - Emergency system for quick stopping in case of obstacle within a radius of action of the robot

**CARRIAGE FM** - With mechanical brake on unwinding film rool to adjust manually film tension with knob



IBIS Viverra

For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)

### The IBIS Cingo

The top level stretch-wrapping machine, with the most advanced technology, able to satisfy any stretch wrapping request.

**EASY** - Feeler arm unit adjustable without any specific tool

**HANDY** - For an easier and faster maintenance

**SAFE** - Emergency system for quick stopping in case of obstacle within a radius of action of the robot

**CARRIAGE FE** - With electromagnetic clutch installed on winding film roll which allows to adjust film tensioning from the control panel

**CARRIAGE PR** - With geared rollers to pre-stretch film during unwinding. Stretch ratio available from 50 to 300%

**CARRIAGE PM** - With rollers provided with gears and motorized for pre-stretching the film during its unwinding. Standard ratio pre-stretch 150% and available from 50 to 200%. An electronic control system adjusts the quantity of film required for the wrapping. Possibility to adjust the pre-stretch film ratio, from the control panel, to avoid breakage of the same



IBIS Cingo

# Horizontal Wrappers

## Semi-Automatic

### IBIS Neleo HR Range

Plasticband provides you the most technologically advance, versatile and safer orbital wrappers.

The original orbital wrappers with 2 reels.

The orbital wrapping machines by Plasticband wrap and protect your products of dirt, dust and humidity during the transport and storage.



For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)

### IBIS Atis HR Range


The Atis is a Fully Automatic solution for horizontal wrapping. Plasticband provides you the most technologically advance, versatile and safer orbital wrappers.

The original orbital wrappers with 2 reels



### IBIS Tentoma HR Range

IBIS Tentoma is an automatic horizontal tube stretch packing machine capable of packaging a wide range of products on all six sides. This provides a reliable protection for the goods against all environmental stress (water resistant) and ensures excellent load stability.



# Nano Stretch Film

Reduces costs by up to 50%

Hitec nano stretch film is manufactured using the latest cast extrusion technology which splits film as thin as 12 microns into 33 layers. In addition to the multi-layers, the film is produced using the highest octane based raw materials resulting in mechanical properties that have previously been unachievable.

The stretch, holding force and clarity of Hitec Nano is unrivalled and guarantees a lower consumption of material for a higher mechanical resistance. Using Hitec nano results in lower pallet wrapping costs and improved stabilisation of the load - especially over time. Hitec nano is 100% recyclable.


To arrange no obligation load containment tests please email:  
Chris@ibispackaging.co.uk



## Low micron stiff films

If you use an electronic/mechanical break pallet wrapper or have an old pallet wrapper that does not stretch more than 100% we offer a very special 12 micron and 15 micron stiff stretch film. Our ST quality will improve pallet stability and reduce costs against pre-stretched or standard machine film.

## Chart for 17 Micron 250% Power Stretch and Nano



## Hand Stretch

IBIS Packaging Supply high quality cast hand pallet wrap as well as Hitec nano hand pallet wrap. Pre-stretched roll in coreless, extended or flush are available with a pair of free plastic dispensers per box of 6 rolls are available. Colours are also available

## Power Stretch and Standard Machine Film

We still cater for those still using conventional 3 and 5 layer film. These are available in 17, 20, 23 and 30 microns in 150%, 190%, 250% and 300% Stretch qualities.



Other colours available on request



# PET

## Strapping

Polyester strapping, including our new IBIS GREENSTRAP brand, is a very competitive PET strap in the Market. The high quality and elasticity of our strap will keep loads secure especially those prone to relaxing or shifting. Due to the advantages of PET strap, it has replaced steel strapping in most markets. PET is ideal for securing loads which are to be stored outside due to their resistance to high temperatures and UV. Available in a full range of embossed and smooth.

With our expertise and technical background in the PET strapping market we can recommend the right strap for your product whether it is for a fully automatic strapping machine or a manual or battery operated hand strapping tool. We stock a wide range of PET strap but can manufacture a specific strap to meet your requirements.



For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)

# PP

## Strapping

### Polypropylene Strap (PP Strap)

Our PP strap is manufactured in Europe and is of the highest quality available. Because of its high quality our pp strap is widely used in the demanding print and newspaper industry where reliability is of prime importance because of the speeds and time constraints. Over 800 different pp strap specifications are available which means we can cater for any conceivable pp strap requirement. Strap can be printed with logos and customised with different colours. Also available are buckles for securing strap and portable dispenser boxes.



Strapping Trolley

Printed PP Strap\*



Green PP Strap\*



Blue PP Strap\*



\*Available in alternative colours

# GoPal Self Driving Vehicles

## Advanced internal logistics

Internal logistics and distribution is undergoing a revolution.

The revolution comes in the form of autonomous guided vehicles. Here at IBIS, we are dedicated to bringing the latest in packaging innovation to our customers. It is with great pleasure we introduce the latest in internal logistics. GoPal. As part of our fully automated and bespoke distribution solution service, this state of the art pallet transport solution creates unparalleled efficiency.

Internal logistics consumes large amount of resources which do not contribute directly to your value chain.

Actions are taken to minimize transport, e.g. optimizing factory layout, using machines in pairs and introducing buffer stocks etc.



For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)



robotize

up to 1,200 kg

Unlike many other automation solutions, the GoPal is extremely easy to install and use. The system does not require changes in your facility and work flows, but will get straight down to business in less than a day. Thanks to its intelligent navigation and complete autonomy, it requires no hand-holding from your employees.

- Loads + unloads pallet conveyors
- Replaces long pallet conveyors
- Improves Health and Safety
- Reduces manned FLT and PPT journeys
- Implement changed work flows quickly
- Industry 4.0 compliant
- Fast ROI

Various models available. Carrying weights up to 800kg plus and pallets up to 1000mm x 1200mm.

For a free Demonstration email: [Chris@ibispackaging.co.uk](mailto:Chris@ibispackaging.co.uk)



# Strapping Machines

## Automatic

A world-class high-speed automatic strapping machine.

The innovative features and superior performance of our strap machine are second to none. With the traditional IBIS Packaging mentality we offer maximum value with the minimum cost.


We supply and install semi-automatic and fully automatic strapping lines.

### IBIS TP-601D Automatic Arch

IBIS TP-601D is an enhanced automatic strapping machine for PP strapping (8 mm - 12 mm). With the value-added features, IBIS TP-601D is the most powerful machine and the best price to performance ratio product in its category for general applications.



IBIS TP-601D Automatic Arch



IBIS TP-6000 Automatic Arch

### IBIS TP-702 Arch

IBIS TP-702 is an innovative world-class high speed automatic strapping machine. It is suitable for 5mm, 6mm, 9mm, or 12mm PP strap. It equips with all industry's standard features and creative user friendly designs. IBIS TP-702 offers the most optimal performance, highest speed, easiest maintenance, and the most cost effective solution in its class today.



IBIS TP-702 Arch

# Strapping Machines

## Automatic

### IBIS TP-702Y Automatic Side Arch

IBIS TP-702Y is a high-speed side-seal strapping machine. It can be put into a wide range of applications for different packages and working environments, such as household appliances, furniture, tile industries, logistics

- Robust and compact strapping head
- High strapping speed up to 60 straps per minute
- Control panel with LCD display
- Free access to strap guides (patents registered)
- Downward tension force
- Strap dispenser with ergonomic design
- Adjustable table height from 445 mm to 645 mm



IBIS TP-702Y Automatic Side Arch

## Semi-Automatic

### TP-502 Semi-Automatic Table Strapping Machine

The IBIS TP-502 is a new generation semi-auto strapping machine. It uses direct drive technology with German-made DC motors which ensures high reliability and durability of the machine. Its compact design greatly minimizes the numbers of moving parts, requires fewer adjustments, less maintenance, and has fewer wear components.



IBIS TP-202 Semi-Automatic Table Top Machine



IBIS TP-202 Semi-Automatic Table Top Machine

# Pallet Strapping Systems

## Automatic

### IBIS VR70 Automatic Pallet Strapping System

IBIS VR70 automatic, strapping machine is equipped with a unique strapping head. Conceived for the vertical strapping of palletized products of any nature and size, it is fully customisable. It can be customised according to the sizes of the packages and of the logistic requirements, and can be inserted in conveying lines with automatic strapping programs. The electrical panel is equipped with PLC; whatever product type, the constant and programmable tensioning allows optimal strapping operations. The arch is made with high quality components which guarantee great performances. The huge reliability of this machine and the high standard of components reduces to minimum the maintenance required.



IBIS VR70 Automatic Pallet Strapping System

For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)



IBIS VR80 Pallet Strapping System

### IBIS VR80 Pallet Strapping System

Automatic vertical strapping machine, VR80, allows to automatically pack products making one or more strapping operations with PET and PP strapping bands.

The strapping machine can be inserted in transport lines fully automatic and can operate without the help of the operator. The component's quality, the simple maintenance and the reliability of performance, make the VR80 vertical strapping machine suitable for many sectors of industry and craft.

### IBIS OR60 Pallet Strapping System

The horizontal strapping machine, OR60, is essential to correctly handle goods; it guarantees load stability, storage ease and safety during transport.



IBIS-H Pallet Strapping System

### IBIS-H Pallet Strapping System

Packaging time reduction up to 70% vs manual strapping systems.

Designed to work in adverse conditions, IBIS H runs at 100%, you fix the limits!

Complete standard equipment and lots of optional to fit it to your working environment.



IBIS-V Pallet Strapping System

### IBIS-V Pallet Strapping System

To strap vertically palletized loads. The IBIS-V is especially designed to hold the load at the pallet base to avoid any movement of the load during the transport and storage. Packaging time reduction up to 70%

# IBIS Battery Strap Tools

## Simple 1 step operation

Strap tools for polypropylene and polyester with vibration sealing and lithium battery.

### IBIS24 Hand Strapping Tool

- Max tension force: 2500N
- Max tension speed 16mt/m
- For straps 13 - 16 mm
- Strap thickness: 0.5mm - 1.05mm

### IBIS25 Hand Strapping Tool

- Max tension 5500N
- Max tension speed 12mt/m
- For strap widths 16 - 19 mm IBIS 25 model
- Strap thickness: 0.8mm - 1.27mm



IBIS24 Hand Strapping Tool



### IBIS22 Hand Strapping Tool

Low cost battery strap tool for polypropylene and polyester strap with vibration sealing and lithium ion polymer battery ultra light for easier handling.

- Max tension force 2200 N
- Max speed 12mt/m
- Strap widths 13 - 16 mm
- Strap thickness 0.5mm - 1.05mm

For a free Demonstration email:  
Chris@ibispackaging.co.uk



IBIS22 Hand Strapping Tool

# Air Cushion Packaging

## High speed operation

IBIS range of Air Cushion Packaging Solutions.

### IBIS600 Air Cushion Packaging System

- Size: L1750×H1280×W860mm
- Weight: 217KG
- Electricity Supply: 220V 50Hz 16A
- Single Phase
- Air Supply: 0.6Mpa
- PE 420mm(W)×55μm×500m
- Polyester / PE Film 420mm(W)×45μm×700m (For Heavy Duty Industrial Use)
- Speed: 35rows/min
- Choose from 5 Pillow sizes
- Colour touch screen control
- Fault diagnosis display



IBIS600 Air Cushion System

For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)

### IBIS320/IBIS321 Plus Desktop Air Cushion Machines

#### IBIS320

- Pillow sizes: 200mm x 120mm, 200mm x 200mm & 200mm x 300mm
- Speed: 18m/min

#### IBIS321 Plus

- 570mm wide Bubble Cushions
- Speed: 18m/min



IBIS320 Air Pillow Machine

For a free Demonstration email:  
[Chris@ibispackaging.co.uk](mailto:Chris@ibispackaging.co.uk)



IBIS321 Plus Air Cushion Machine

# Case Sealing Machines

## Semi-Automatic & Automatic

IBIS tape sealers are available in very simple semi-automatic models and also for high speed automatic solutions.

Cases can be sealed with either adhesive tape or hot melt glue. Side belts wider than the average case sealer are used to make sure of a smooth working and transport of the boxes through the case sealer. Our case sealer are designed and built in Europe and can be built with numerous options to suit any customer's requirement.



IBIS50 Tape Machine

For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)



IBIS50R Tape Sealer

### IBIS 50R, IBIS 65R, IBIS 80R Tape Sealers

Semi-automatic automatic adjustment carton sealers for the tape sealing of the top and bottom flaps of American type boxes. Bent, bolted and painted steel structure.

Safety fences with transparent doors connected with safety interlock-switches. The changeover on the different box sizes is done by photocells and switches, detecting automatically the boxes heights and widths.



IBIS56L Case Erector

### IBIS 56L - 58L - 608L Case Erector

Case formers IBIS 56-58-608 L forms the uniform sized American type boxes automatically and folds the four bottom flaps.

In order to seal the bottom of the boxes, case erectors can be combined with the tape bottom sealer IBIS 50B or the hot melt version IBIS B-HM



### IBIS 56P Case Erector

Semi-automatic case erector to form uniform sized American-type boxes to fold the four bottom flaps and to support the carton during the filling made by an operator.


IBIS50P Tape Sealer

# Automatic L Sealers

## With Shrink Tunnel

IBIS introduce the latest Automatic and Semi-Automatic L Sealers with optional Shrink Tunnel.

- Electronic control panel with touch sensitive screen
- Programmable cycles
- Horizontal and transverse sealing bars controlled by independent thermo regulators
- Micro perforating of film during un-winding
- Motorised scrap unwinding
- Centre seal option for film saving
- Continuous Infeed conveyor or synchronised with sealing bar
- Multi-pack function
- Infra red sensor for automatic horizontal or vertical product detection.



Automatic L Sealer with Shrink Tunnel

For more information please visit: [www.ibispackaging.co.uk](http://www.ibispackaging.co.uk)

### Hand Tape

Hand tape is available in bespoke colour as well as the usual clear and buff colours. Solvent, hot melt and acrylic adhesives are available. Also available is our new smart tape.

The smaller core means you have much more tape per roll which also saves transport and storage costs.




### Machine Tape

Available in clear and buff colours solvent, hot melt or acrylic qualities. Quality tapes for all purposes.



Large Hand Tape



Colour Tape

# IBIS OnePack

## Labels & Ribbons in ONE

Buy your ribbons and thermal transfer labels in our handy 1 pack and you will match the length of ribbon exactly to the number of labels per roll and reduce your waste.



### Guaranteed length match between labels and ribbons


- Material: guaranteed excellent printing results
- Length: One roll of ribbon prints exactly one roll of labels: average saving 20%
- Width: Ribbon is slit to the exact width for reduced waste and optimal economy.

### Easy to order - Easy to handle - Just 1 Pack

- Single Purchase Order for labels and ribbons
- Reduced number of suppliers
- One easy to handle pack, stored together and replaced together
- Reduced storage space

### Less downtime. Increases efficiency by 35%

- Printer stops only once to change labels and ribbons together
- No more ribbon and Label length mismatches reducing stops and down time
- Reduced down time by up to 35%



# Transport Packaging

## Multi-Purpose

IBIS offers a wide range of Multi-Purpose Transport Packaging including the following:


- Edge protectors in a size and thickness to suit you
- U Profiles for every type of edging
- Export Cases and card frames
- Slip sheets for the push/pull system especially for export to save space when loading containers and the cost of a pallet
- Anti-slip sheets to stabilise loads
- Card pallets for Export



Full Range of Pallets




Slip sheets



U-Profiles



Boxes



Edgeboards



BoxRunner with Hotmelt

Enquiries: 01639 890609

# Nano Film

## Usage Chart

Weight of film used to wrap a pallet with 23 micron film v's Hitec. Based on 23 Micron Film, used on a 1200mm x 1000mm pallet.



% of Stretch	Number of wraps									
	6	7	8	9	10	11	12	13	14	15
100%	139	163	186	209	232	256	279	302	325	346
105%	135	159	181	204	225	249	272	295	317	340
110%	133	155	177	199	220	243	266	289	310	332
115%	130	151	173	194	216	238	259	281	302	324
120%	127	148	169	190	211	232	253	274	293	317
125%	124	146	165	186	205	227	248	268	284	310
130%	121	142	162	182	202	222	242	263	283	303
135%	118	137	158	178	198	217	237	257	279	296
140%	115	135	155	174	194	213	230	253	271	290
145%	114	133	151	171	190	208	226	248	265	284
150%	111	130	148	167	186	204	223	242	260	275
155%	109	128	146	164	182	200	219	237	256	270
160%	107	126	142	161	179	197	214	232	250	267
165%	105	124	140	158	175	195	210	228	245	262
170%	103	120	138	155	172	189	206	241	241	258
175%	101	118	135	152	169	186	203	220	237	253
180%	100	116	133	149	166	182	199	216	232	249
185%	99	114	130	147	163	179	196	212	228	244
190%	96	112	128	144	160	176	192	208	224	240
195%	94	110	126	142	157	173	188	205	220	235
200%	93	108	124	138	155	170	186	201	216	232
205%	91	107	122	137	152	168	183	198	213	228
210%	90	105	120	135	150	165	180	197	210	224
215%	88	103	118	133	147	162	177	195	208	220
220%	87	102	116	131	145	160	174	189	203	217
225%	86	100	114	129	143	157	172	186	200	214
230%	84	99	112	127	141	155	169	183	197	213
235%	83	97	110	125	139	153	166	180	194	209
240%	82	96	108	123	137	150	164	178	191	205
245%	81	94	106	121	135	148	162	175	188	202
250%	80	93	104	119	133	146	159	173	186	199
HITEC	52	60	69	78	86	95	104	113	121	130

### NOTES:



IBIS Packaging Solutions Ltd  
Unit 10 Colthrop Business Park  
Colthrop Lane, Thatcham  
Berkshire, RG19 4NB

p : 01639 890609  
f : 01639 891993  
e : [sales@ibispackaging.co.uk](mailto:sales@ibispackaging.co.uk)